

### DS-250AC Safety Data Sheet Revised 2013

www.deltaadsorbents.com

630-980-5205

SECTION 1: Identification of the subs	stance/mixture and of the company/undertaking	
1.1. Product identifier	stance/mixture and or the company/undertaking	
Product name.	: HS-250AC	
1.2. Relevant identified uses of the substa Use of the substance/mixture	ance or mixture and uses advised against : Filtration	
1.3. Details of the supplier of the safety d DelSorb, Div. of Delta Enterprises		
24 Congress Circle W., Roselle, IL 60172 T 1-630-980-5205 – F_630-980-5286		
www.deltaadsorbents.com		
1.4. Emergency telephone number		
Emergency number	: 1-847-741-1600	
SECTION 2: Hazards identification		
2.1. Classification of the substance or mit		
GHS-US classification		
Eye Dam. 1 H318		
STOT SE 3 H335		
2.2. Label elements		
GHS-US labeling		
Hazard pictograms (GHS-US)		
Signal word (GHS-US)	: Danger	
Hazard statements (GHS-US)	: H318 - Causes serious eye damage H335 - May cause respiratory irritation	
Precautionary statements (GHS-US)	<ul> <li>P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P271</li> <li>Use only outdoors or in a well-ventilated area</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing</li> <li>P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact</li> <li>lenses, if present and easy to do. Continue rinsing</li> <li>P310 - Immediately call a POISON CENTER/doctor/</li> <li>P312 - Call a POISON CENTER/doctor//if you feel unwell</li> <li>P403+P233 - Store in a well-ventilated place. Keep container tightly closed</li> <li>P405 - Store locked up</li> <li>P501 - Dispose of contents/container to</li> </ul>	
2.3. Other hazards		
No additional information available		
2.4. Unknown acute toxicity (GHS US)		
No data available		
SECTION 3: Composition/information on ingredients		
3.1. Substances		
Not applicable		

#### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Zeolite	(CAS No.) 1318-02-1	55.85 - 57.85	STOT SE 3, H335
Carbon	(CAS No.) 7440-44-0	33.09 - 35.09	Not classified
Water	(CAS No.) 7732-18-5	2.84 - 8.84	Not classified
N,N,N-Trimethyl-1-hexadecanaminium chloride	(CAS No.) 112-02-7	2.22 - 4.22	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400

## DelSorb

# DS-250AC Safety Data Sheet Revised 2013 www.deltaadsorbents.com

630-980-5205

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation	Remove person to fresh air. If not breathing, administer CPR or artificial respiration. Get immediate medical attention.	
First-aid measures after skin contact	If skin reddening or irritation develops, seek medical attention.	
First-aid measures after eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists get medical attention.	
First-aid measures after ingestion	If the material is swallowed, get immediate medical attention or advice. DO NOT induce vomiting unless directed to do so by medical personnel.	
4.2. Most important symptoms and effects,	both acute and delayed	
Symptoms/injuries after inhalation :	May cause respiratory irritation.	
Symptoms/injuries after skin contact :	May cause skin irritation.	
Symptoms/injuries after eye contact :	Causes serious eye damage.	
Symptoms/injuries after ingestion :	May be harmful if swallowed.	
4.3. Indication of any immediate medical at	tention and special treatment needed	
No additional information available		
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	If involved with fire, flood with plenty of water.	
Unsuitable extinguishing media : 5.2. Special hazards arising from the subst	None.	
	None known.	
	None known.	
,		
5.3. Advice for firefighters	En Calder als a laborar fallen de Calendaria en en	
Protection during firefighting :	Firefighters should wear full protective gear.	
<b>SECTION 6: Accidental release measu</b>	res	
6.1. Personal precautions, protective equip	ment and emergency procedures	
General measures :	Avoid contact with the skin and the eyes.	
6.1.1. For non-emergency personnel		
No additional information available		
6.1.2. For emergency responders		
No additional information available		
6.2. Environmental precautions		
None.		
6.3. Methods and material for containment	and cleaning up	
For containment	If possible, stop flow of product.	
Methods for cleaning up :	Shovel or sweep up and put in a closed container for disposal.	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling :	Avoid contact with eyes.	
7.2. Conditions for safe storage, including	any incompatibilities	
<b>.</b>	Protect containers from physical damage. Store in dry, cool, well-ventilated area.	
7.3. Specific end use(s)		
No additional information available		
	al protection	
SECTION 8: Exposure controls/persor		
8.1. Control parameters No additional information available		
8.2. Exposure controls		
Appropriate engineering controls Hand protection :	Local exhaust and general ventilation must be adequate to meet exposure standards. Use impervious gloves.	
· · ·		
2/11/2012	ENI (English)	



#### DS-250AC Safety Data Sheet Revised 2013

www.deltaadsorbents.com

- Eye protection Skin and body protection Respiratory protection
- : Safety glasses.
  - : Wear suitable working clothes.

: If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance	: Irregular shaped
Color	: White/black
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 54-56 lb/ft3
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

SECTION 10: Stability and reactivity			
10.1.	Reactivity		
No addit	No additional information available		
10.2.	Chemical stability		
Stable under normal conditions.			
10.3.	Possibility of hazardous reactions		
Will not	Will not occur.		
10.4.	Conditions to avoid		
None.			
10.5.	Incompatible materials		
Strong oxidizing and reducing agents such as ozone, liquid oxygen, or chlorine.			
10.6.	Hazardous decomposition products		
Carbon monoxide may be generated in the event of a fire. Organic chlorides, amines, hydrogen chloride may be produced.			
SECT	ON 11: Toxicological information		
11.1.	Information on toxicological effects		

# Acute toxicity : Not classified Zeolite (1318-02-1) 5000 mg/kg LD50 oral rat 5000 mg/kg LD50 dermal rabbit > 2000 mg/kg



# DS-250AC Safety Data Sheet Revised 2013 www.deltaadsorbents.com

630-980-5205

	www.defdaddsorbents.com		
Zeolite (1318-02-1)			
LC50 inhalation rat (mg/l)	2.4 mg/l (Exposure time: 1 h)		
ATE (oral)	E (oral) 5000 mg/kg		
Carbon (7440-44-0)			
LD50 oral rat	> 10000 mg/kg		
N,N,N-Trimethyl-1-hexadecanaminium chlorid	e (112-02-7)		
LD50 dermal rabbit	4300 uL/kg/24H;		
Skin corrosion/irritation	: Not classified		
Serious eye damage/irritation	: Causes serious eye damage.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Zeolite (1318-02-1)			
IARC group	3		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.		
Specific target organ toxicity (repeated	: Not classified		
exposure)	. NOUCIASSINED		
Aspiration hazard	: Not classified		
SECTION 12: Ecological information			
12.1. Toxicity			
Zeolite (1318-02-1)			
LC50 fishes 1	1800 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])		
EC50 Daphnia 1	1000 - 1800 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 other aquatic organisms 1	18 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)		
LC50 fish 2	3200 - 5600 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static])		
12.2. Persistence and degradability			
No additional information available			
12.3. Bioaccumulative potential			
No additional information available			
12.4. Mobility in soil			
No additional information available			
12.5. Other adverse effects			
No additional information available			
SECTION 13: Disposal consideration	s de la constante d		
13.1. Waste treatment methods			
Waste disposal recommendations	: Dispose of contents/container in accordance with local/regional/national/international regulations.		
-			
SECTION 14: Transport information			
In accordance with DOT / ADR / RID / ADNR / IME	)G / ICAO / IATA		
14.1. UN number			
Not applicable			
14.2. UN proper shipping name			
Not applicable			
SECTION 15: Regulatory information			
SECTION 15: Regulatory information			
15.1. US Federal regulations			
N,N,N-Trimethyl-1-hexadecanaminium chloride (112-02-7)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Carbon (7440-44-0)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			



www.deltaadsorbents.com

630-980-5205

#### 15.3. US State regulations

No additional information available

#### **SECTION 16: Other information**

Full text of H-phrases:

•	
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Irrit. 2	skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
H400	Very toxic to aquatic life

NFPA	health	hazard
	neann	nazaru

NFPA fire hazard

NFPA reactivity

: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

- : 0 Materials that will not burn.
- : 0 Normally stable, even under fire exposure conditions, and are not reactive with water.



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.